

Fig. 1

TOP SECRET 2002/03/01




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8






Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16








Fig. 18




Fig. 19

10430 220/360




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27






Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32




Fig. 33




Fig. 34




Fig. 35




Fig. 36




Fig. 37






Fig. 38




Fig. 39




Fig. 40




Fig. 41




Fig. 42<sub>a</sub>




Fig. 42 b




Fig. 43




Fig. 44

The diagram illustrates a network topology with three switches (SW1, SW2, SW3) and two stations. Each switch has three local ports (1, 2, 3) and two uplink ports (25, 26). The switches are interconnected via their uplink ports (25, 26) through a central vertical line labeled 'Interconne 1'. Each switch also has a 'Gig Uplin' port connected to the central line. The stations are connected to the local ports of SW1 and SW3. The diagram shows the configuration for VLAN 1, 2, with the source and destination MAC and IP addresses for the stations.

**SW1:**

- Local ports: 1, 2, 3
- Uplink ports: 25, 26
- Gig Uplin

**SW2:**

- Local ports: 1, 2, 3
- Uplink ports: 25, 26
- Gig Uplin

**SW3:**

- Local ports: 1, 2, 3
- Uplink ports: 25, 26
- Gig Uplin

**Stations:**

- Station 1 (connected to SW1): Src MAC = MA; Dest MAC = R11; Source IP = A, Dest IP = B
- Station 2 (connected to SW3): Src MAC = MB; Dest MAC = R22; Source IP = B, Dest IP = A

**Interconne 1:**

- Central vertical line connecting the uplink ports of all switches.
- Labels 'Interconne 1' are placed near the connection points for each switch.

**Fig. 45**

FOI b7c b7d b7e b7f b7g b7h b7i b7j b7k b7l b7m b7n b7o b7p b7q b7r b7s b7t b7u b7v b7w b7x b7y b7z




Fig. 46